



Contact Information

Customer Service Hours

Monday - Friday: 9:00am to 5:00pm EST

Sales Office

3505 Veterans Memorial Highway Suite L Ronkonkoma. NY 11779

Phone: 631-615-6151 or 877-695-3824 Email: sales@ketchamcabinets.com Website: ketchamcabinets.com

Accounting & Logistics

8180 Granville Road Mt. Vernon, OH 43050

Phone: 740-392-4003 or 800-322-5929

Quote Requests

If you require a formal quotation, please email us at <u>sales@ketchamcabinets.com</u> or contact your sales representative. We request the quantity, part number, destination information as well as a job name to generate the quotation.

Orders

When you're ready to place an order, Ketcham will accept a purchase order via email. The purchase order should include contact name, company name, shipping address, billing address, payment terms, email address, and phone number. Please email your orders to info@ketchamcabinets.com or to your Sales Representative.

*Additional sizes available for large quantity orders

TABLE OF CONTENTS

RECTANGULAR LED MIRRORS

Aurora Series	5
Aurora + Series	5
Luminous Series	7
Luminous + Series	7
Radiant Series	9
Radiant + Series	9
Stellar Series	
Stellar + Series	11
ROUND LED MIRRORS	
Orbit Series	13
Orbit + Series	
OVAL LED MIRRORS	
Ellipse Series	15
Ellipse + Series	
ILLUMINATED LED MEDIC	INE CABINETS
Premier Illuminated Series	17
Treiller IIIommalea Jenes	
ADDITIONAL FEATURES ,	PRODUCT CARE
Additional Features	1Ω
Product Care Guide	
Troduct Care Onlag	17



AURORA Series

The Aurora Series LED mirrors feature a wall-glow accent light for soft lighting around the mirror. These units are wall mounted and can be hung vertically or horizontally. Power requirements for hardwiring are 100/240 VAC - 50/60 Hz.

Polished Edge Mirror Backlit LED
Energy Efficient LED Lighting
Aluminum Structure
UL Listed LED Driver
6000 Kelvin

Model Number	Overall Size W x H x D	Lumens
AUR-2030	20" x 30" x 1 ³ / ₄ "	1852
AUR-2436	24" x 36" x 1 ³ / ₄ "	2352
AUR-3036	30" x 36" x 1 ³ / ₄ "	2640
AUR-4836	48" x 36" x 1 ³ / ₄ "	3514
AUR-6036	60" x 36" x 1 ¾"	4128

AURORA + Series

The Aurora + Series comes with an automatic defogger and a dimmable touch sensor to control the brightness of the mirror. The LED lighting features a wall-glow accent light for soft lighting around the mirror. These units are wall mounted and can be hung vertically or horizontally. Power requirements for hardwiring are 100/240 VAC - 50/60 Hz.

Model Number	Overall Size W x H x D	Lumens
AUR-2030P	20" x 30" x 1 3/4"	1852
AUR-2436P	24" x 36" x 1 3/4"	2352
AUR-3036P	30" x 36" x 1 3/4"	2640
AUR-4836P	48" x 36" x 1 3/4"	3514
AUR-6036P	60" x 36" x 1 ³ / ₄ "	4128

Polished Edge Mirror Backlit LED
Automatic Mirror Defogger
Dimmable Touch Sensor
Energy Efficient LED Lighting
6000 Kelvin



LUMINOUS Series

The Luminous Series LED mirrors feature a frosted glass edge which illuminates the front and sides of the LED mirror. These units are wall mounted and can be hung vertically or horizontally. Power requirements for hardwiring are 100/240 VAC - 50/60 Hz.

Frosted Glass Edge LED Mirror
Energy Efficient LED Lighting
Aluminum Structure
UL Listed LED Driver
6000 Kelvin

Model Number	Overall Size W x H x D	Lumens
LUM-2030	20" x 30" x 1 3/4"	1852
LUM-2436	24" × 36" × 1 ¾"	2352
LUM-3036	30" x 36" x 1 ³ / ₄ "	2640
LUM-4836	48" x 36" x 1 ³ / ₄ "	3514
LUM-6036	60" x 36" x 1 ³ / ₄ "	4128

LUMINOUS + Series

The Luminous + Series comes with an automatic defogger and a dimmable touch sensor to control the brightness of the mirror. The LED lighting features a frosted glass edge which illuminates the front and sides of the LED mirror. These units are wall mounted and can be hung vertically or horizontally. Power requirements for hardwiring are 100/240 VAC - 50/60 Hz.

Model Number	Overall Size W x H x D	Lumens
LUM-2030P	20" x 30" x 1 3/4"	1852
LUM-2436P	24" x 36" x 1 3/4"	2352
LUM-3036P	30" x 36" x 1 3/4"	2640
LUM-4836P	48" x 36" x 1 3/4"	3514
LUM-6036P	60" x 36" x 1 ¾"	4128

Frosted Glass Edge LED Mirror
Automatic Mirror Defogger
Dimmable Touch Sensor
Energy Efficient LED Lighting
6000 Kelvin



RADIANT Series

The Radiant Series LED mirrors feature a frosted glass inset into the mirror which illuminates the front and sides of the LED mirror. These units are wall mounted and can be hung vertically or horizontally. Power requirements for hardwiring are 100/240 VAC - 50/60 Hz.

Polished Edge Mirror with Frosted Glass Inset

Energy Efficient LED Lighting

Aluminum Structure

UL Listed LED Driver

6000 Kelvin

Model Number	Overall Size W x H x D	Lumens
RAD-2030	20" x 30" x 1 3/4"	1852
RAD-2436	24" x 36" x 1 ¾"	2352
RAD-3036	30" x 36" x 1 ¾"	2640
RAD-4836	48" x 36" x 1 ³ / ₄ "	3514
RAD-6036	60" x 36" x 1 ³ / ₄ "	4128

RADIANT + Series

The Radiant + Series comes with an automatic defogger and a dimmable touch sensor to control the brightness of the mirror. The LED lighting features a frosted glass inset into the mirror which illuminates the front and sides of the LED mirror. These units are wall mounted and can be hung vertically or horizontally. Power requirements for hardwiring are 100/240 VAC - 50/60 Hz.

Model Number	Overall Size W x H x D	Lumens
RAD-2030P	20" x 30" x 1 3/4"	1852
RAD-2436P	24" x 36" x 1 ¾"	2352
RAD-3036P	30" x 36" x 1 ¾"	2640
RAD-4836P	48" x 36" x 1 ¾"	3514
RAD-6036P	60" x 36" x 1 ³ / ₄ "	4128

Polished Edge Mirror
with Frosted Glass Inset
Automatic Mirror Defogger
Dimmable Touch Sensor
Energy Efficient LED Lighting
6000 Kelvin



STELLAR Series

The Stellar Series LED mirrors feature a frosted glass edge surrounded by a stainless steel frame which illuminates the front of the LED mirror. These units are wall mounted and can be hung vertically or horizontally. Power requirements for hardwiring are 100/240 VAC - 50/60 Hz.

Stainless Steel Framed Mirror with Frosted Glass Edge
Energy Efficient LED Lighting
Aluminum Structure

UL Listed LED Driver

6000 Kelvin

Model Number	Overall Size W x H x D	Lumens
STE-2030	20" x 30" x 1 3/4"	1852
STE-2436	24" x 36" x 1 ³ / ₄ "	2352
STE-3036	30" x 36" x 1 ³ / ₄ "	2640
STE-4836	48" x 36" x 1 ³ / ₄ "	3514
STE-6036	60" x 36" x 1 ³ / ₄ "	4128

STELLAR + Series

The Stellar + Series comes with an automatic defogger and a dimmable touch sensor to control the brightness of the mirror. The LED lighting features a frosted glass edge surrounded by a stainless steel frame which illuminates the front of the LED mirror. These units are wall mounted and can be hung vertically or horizontally.

Power requirements for hardwiring are 100/240 VAC - 50/60 Hz.

Model Number	Overall Size W x H x D	Lumens
STE-2030P	20" x 30" x 1 3/4"	1852
STE-2436P	24" × 36" × 1 ¾"	2352
STE-3036P	30" x 36" x 1 ³ / ₄ "	2640
STE-4836P	48" x 36" x 1 ³ / ₄ "	3514
STE-6036P	60" x 36" x 1 ³ / ₄ "	4128

Stainless Steel Framed Mirror with Frosted Glass Edge
Automatic Mirror Defogger
Dimmable Touch Sensor
Energy Efficient LED Lighting
6000 Kelvin



ORBIT Series

The Orbit Series Round LED mirrors feature a frosted glass edge which illuminates the diameter of the LED mirror. These units are wall mounted. Power requirements for hardwiring are 100/240 VAC - 50/60 Hz.

Frosted Glass Edge LED Mirror
Energy Efficient LED Lighting
Aluminum Structure
UL Listed LED Driver
6000 Kelvin

Model Number	Overall Diameter	Overall Depth	Lumens
ORB-24	24"	1 3/4"	1488
ORB-30	30″	1 3/4"	1939
ORB-36	36"	1 3/4"	2352

ORBIT + Series

The Orbit + Series comes with an automatic defogger and a dimmable touch sensor to control the brightness of the mirror. The LED lighting features a frosted glass edge which illuminates the diameter of the LED mirror. These units are wall mounted.

Power requirements for hardwiring are 100/240 VAC - 50/60 Hz.

Model Number	Overall Diameter	Overall Depth	Lumens
ORB-24P	24"	1 3/4"	1488
ORB-30P	30"	1 3/4"	1939
ORB-36P	36"	1 3/4"	2352

Frosted Glass Edge LED Mirror
Automatic Mirror Defogger
Dimmable Touch Sensor
Energy Efficient LED Lighting
6000 Kelvin



ELLIPSE Series

The Ellipse Series Oval LED mirrors feature a frosted glass edge which illuminates the front and sides of the LED mirror. These units are wall mounted and can be hung vertically or horizontally. Power requirements for hardwiring are 100/240 VAC - 50/60 Hz.

Frosted Glass Edge LED Mirror
Energy Efficient LED Lighting
Aluminum Structure
UL Listed LED Driver
6000 Kelvin

Model Number	Overall Size W x H x D	Lumens
ELL-2030	20" x 30" x 1 3/4"	1680
ELL-2436	24" x 36" x 1 ³ / ₄ "	2016

ELLIPSE + Series

The Ellipse + Series comes with an automatic defogger and a dimmable touch sensor to control the brightness of the mirror. The LED lighting features a frosted glass edge which illuminates the front and sides of the LED mirror. These units are wall mounted and can be hung vertically or horizontally. Power requirements for hardwiring are 100/240 VAC - 50/60 Hz.

Model Number	Overall Size W x H x D	Lumens
ELL-2030P	20" x 30" x 1 ³ / ₄ "	1680
ELL-2436P	24" x 36" x 1 ³ / ₄ "	2016

Frosted Glass Edge LED Mirror
Automatic Mirror Defogger
Dimmable Touch Sensor
Energy Efficient LED Lighting
6000 Kelvin



PREMIER ILLUMINATED Series

Our Premier Illuminated Series medicine cabinets are fabricated from brushed aluminum with a superior aluminum inner door core. These cabinets can be recessed into the wall or surface mounted with the included mirror side kits. This series is offered with a polished edge mirror door with integral LED lighting and features a full mirrored interior.

Specifications: Brushed aluminum with full mirrored interior.

Mirrors/Doors: 3/16" first quality plate glass. Doors are mounted on heavy duty cabinet hinges and feature a slotted finger pull on the underside of the door. Cabinets can be inverted in the field for right or left door swing.

Shelves: Adjustable glass shelves on locking secure shelf clips.

Lighting: Integral hardwired LED lighting







AL-2026PE-LED

ALD-2625PE-LED

ALTV-3128PE-LED

Surface Mounted or Recessed

Model Number	Number of Doors	Overall Size W x H x D	Wall Opening W x H x D	Glass Shelves	Lumens
AL-2026PE-LED	Single Door	20" x 26" x 5 1/4"	19 ⁵ /8" x 25 ½" x 4 ¹ /8"	2	3120
ALD-2625PE-LED	Dual Door	26 ½" × 24 ¾" × 5 ¼"	26 ½" x 24" x 4 ½"	2	3120
ALTV-3128PE-LED	Tri Door	31 ½" x 27 ¾" x 5 ¼"	31 1/4" x 27" x 4 1/8"	2	1800

ADDITIONAL FEATURES

BLUETOOTH SPEAKERS LED CLOCK ELECTRICAL OUTLET USB PORTS MIRROR TV TECHNOLOGY AND MORE!

Contact us today to discuss your needs

Additional sizes and features available on large quantity orders.

Contact <u>sales@ketchamcabinets.com</u>

For technical data, drawings, or additional material please contact our marketing department.

marketing@ketchamcabinets.com



Product Care

At Ketcham we want your mirror/medicine cabinet to maintain the same beauty and functionality as the day it was installed. Following these cleaning instructions and using the approved cleaning solutions will keep your mirror/medicine cabinet bright and beautiful throughout its lifetime.

The mirror and mirror body are constructed of mirrored glass and aluminum. Use a damp cloth to clean your mirror. Do not use any abrasive material as it may damage the surface and finish of the mirror. When cleaning, spray the cloth, not the mirror or surrounding surfaces. A mild detergent may be used to clean the surfaces of the mirror.

<u>DO NOT</u> clean your mirror/medicine cabinet with any knives, scrapers, emery cloth, scouring sponges, or abrasive materials.

DO NOT use alkali or acid cleaning solutions, as this will severely damage the mirror/medicine cabinet.

Ketcham Quality Guarantee

At Ketcham we produce quality products, as such we stand behind our entire line. Please read below for our Ketcham Quality Guarantee.

Ketcham products are guaranteed to be free of manufacturing defects from one year after date of purchase. Any products returned under this guarantee will be repaired or replaced at no charge. Ketcham does not assume any liability for labor to remove or replace any products.

This warranty DOES NOT cover any products that have been subject to misuse, accident, negligence, improper repair/maintenance, or faulty installation.

Mirrors are guaranteed against silver spoilage for a period of 5 years after purchase date providing the product care instructions have been implemented.

